

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AdA: Adamstown-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Poorly suited Flooding Strength	1.00 0.50
AdB: Adamstown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Poorly suited Flooding Strength Slope	1.00 0.50 0.50
AfB: Adamstown-----	55	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Poorly suited Flooding Strength	1.00 0.50
Funkstown-----	35	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Poorly suited Flooding Strength	1.00 0.50
ArB: Airmont-----	85	Slight Slope/erodibility	0.10	Slight Slope/erodibility	0.19	Moderately suited Rock fragments Strength	0.50 0.50
ArD: Airmont-----	85	Moderate Slope/erodibility	0.33	Moderate Slope/erodibility	0.65	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
AtB: Athol-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
AtC: Athol-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
BaB: Bagtown-----	85	Slight Slope/erodibility	0.12	Slight Slope/erodibility	0.23	Moderately suited Rock fragments Strength Slope	0.50 0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BaC: Bagtown-----	85	Slight Slope/erodibility	0.12	Slight Slope/erodibility	0.23	Moderately suited Rock fragments Strength Slope	0.50 0.50 0.50
BaD: Bagtown-----	85	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
BbD: Bagtown-----	85	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Rock fragments Slope Strength	1.00 1.00 0.50
BbE: Bagtown-----	85	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Rock fragments Slope Strength	1.00 1.00 0.50
BcB: Baile-----	55	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
Glenville-----	30	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength Wetness	0.50 0.50
BdB: Benevola-----	85	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
BdC: Benevola-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
BfA: Bermudian-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Flooding Strength	1.00 0.50
BgA: Birdsboro-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
BgB: Birdsboro-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BhE: Blocktown-----	85	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
BkD: Brinklow-----	50	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Blocktown-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
BmA: Bowmansville-----	50	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Flooding Strength Wetness	1.00 0.50 0.50
Rowland-----	35	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Flooding Strength	0.50 0.50
BmB: Bowmansville-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Poorly suited Flooding Strength Wetness	1.00 0.50 0.50
Rowland-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Flooding Strength	0.50 0.50
BnB: Braddock-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
BnC: Braddock-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
BoB: Braddock-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Moderately suited Strength	0.50
BpB: Brecknock-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
BrB: Brentsville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
BrC: Brentsville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
BsB: Buckeystown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
BtB: Buckeystown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
BtC: Buckeystown-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
BuB: Buckeystown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
CaC: Cardiff-----	85	Moderate Slope/erodibility	0.27	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
CaD: Cardiff-----	85	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
CaE: Cardiff-----	85	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
CbF: Cardiff-----	85	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
CcC: Catoctin-----	85	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
CcD: Catoctin-----	85	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
CcE: Catoctin-----	90	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CdB: Catoctin-----	45	Slight Slope/erodibility	0.10	Slight Slope/erodibility	0.19	Moderately suited Rock fragments Strength	0.50 0.50
Highfield-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Rock fragments Strength	0.50 0.50
CdC: Catoctin-----	45	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Highfield-----	40	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Rock fragments Strength	0.50 0.50 0.50
CdD: Catoctin-----	50	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
Highfield-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
CdE: Catoctin-----	60	Moderate Slope/erodibility	0.59	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Highfield-----	35	Moderate Slope/erodibility	0.59	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
CeB: Catoctin-----	45	Slight Slope/erodibility	0.06	Slight Slope/erodibility	0.12	Moderately suited Strength	0.50
Spoolsville-----	40	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CeC: Catoctin-----	45	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Spoolsville-----	40	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CeD: Catoctin-----	55	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Spoolsville-----	40	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CeE: Catoctin-----	60	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Spoolsville-----	40	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CgA: Codorus-----	60	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Flooding Strength	0.50 0.50
Hatboro-----	40	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Ponding Flooding Wetness Strength	1.00 1.00 1.00 0.50
CmA: Combs-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CnA: Combs-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
CoB: Conestoga-----	60	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Letort-----	40	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
CoC: Conestoga-----	70	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Letort-----	20	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
CrA: Croton-----	50	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
Abbottstown-----	35	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength Wetness	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CrB: Croton-----	45	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Poorly suited Ponding Wetness Strength Slope	1.00 1.00 0.50 0.50
Abbottstown-----	35	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Wetness Slope	0.50 0.50 0.50
DbF: Dekalb-----	45	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
Bagtown-----	40	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
DeC: Dekalb-----	55	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DeD: Dekalb-----	45	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
DoB: Downsville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
DoC: Downsville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
DqA: Dryrun-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
DtA: Duffield-----	50	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
Ryder-----	35	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
DtB: Duffield-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Ryder-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
DtC: Duffield-----	50	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Ryder-----	40	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
DuB: Duffield-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Ryder-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
DvB: Duffield-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Ryder-----	40	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
DwB: Duffield-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Hagerstown-----	20	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
EdB: Edgemont-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Well suited	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
EgB: Edgemont-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.31	Well suited	
EgC: Edgemont-----	85	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
EgD: Edgemont-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
ErB: Edgemont-----	75	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErC: Edgemont-----	75	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErD: Edgemont-----	75	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
ErE: Edgemont-----	75	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Rock Outcrop-----	20	Not rated		Not rated		Not rated	
FoB: Foxville-----	90	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.15	Poorly suited Flooding Rock fragments Strength Wetness	1.00 0.50 0.50 0.50
FxA: Foxville-----	50	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.08	Poorly suited Flooding Rock fragments Strength Wetness	1.00 0.50 0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Hatboro-----	45	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Ponding Flooding Wetness Strength	1.00 1.00 1.00 0.50
GaB: Gaila-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
GaC: Gaila-----	85	Moderate Slope/erodibility	0.29	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
GeB: Glenelg-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
GfB: Glenelg-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
GgB: Glenelg-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
GgC: Glenelg-----	85	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
GhB: Glenelg-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
Blocktown-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
GhC: Glenelg-----	50	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
Blocktown-----	35	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
GmB: Glenelg-----	45	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
Mt.airy-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
GnB: Glenelg-----	40	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Well suited	
Mt.airy-----	30	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Well suited	
Urban Land-----	20	Not rated		Not rated		Not rated	
GoB: Glenville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope Wetness	0.50 0.50 0.50
GoC: Glenville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength Wetness	0.50 0.50 0.50
GuB: Glenville-----	60	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope Wetness	0.50 0.50 0.50
Baile-----	40	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Poorly suited Ponding Wetness Strength Slope	1.00 1.00 0.50 0.50
GvA: Glenville-----	65	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength Wetness	0.50 0.50
Codorus-----	35	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Flooding Strength	0.50 0.50
GvB: Glenville-----	65	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope Wetness	0.50 0.50 0.50
Codorus-----	35	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Flooding Strength Slope	0.50 0.50 0.50
HaA: Hagerstown-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HaB: Hagerstown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
HaC: Hagerstown-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
HbB: Hagerstown-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
HcB: Hagerstown-----	55	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Opequon-----	40	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
HdA: Hatboro-----	60	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Ponding Flooding Wetness Strength	1.00 1.00 1.00 0.50
Codorus-----	40	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Flooding Strength	0.50 0.50
HgB: Highfield-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
HgC: Highfield-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
HgD: Highfield-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
HhB: Highfield-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
HhC: Highfield-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
HhD: Highfield-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
HtF: Hyattstown-----	85	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
HyD: Hyattstown-----	60	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Linganore-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
KeB: Klinesville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
KeC: Klinesville-----	85	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
KeD: Klinesville-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
KnB: Klinesville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Slope	0.50
KnC: Klinesville-----	85	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope	0.50
KrF: Klinesville-----	70	Severe Slope/erodibility	0.84	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
Rock Outcrop-----	25	Not rated		Not rated		Not rated	
LaB: Lantz-----	55	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
Rohrersville-----	35	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength Wetness	0.50 0.50
LeB: Leetonia-----	85	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.15	Moderately suited Rock fragments Sandiness	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
LgB: Legore-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
LnB: Legore-----	55	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Montalto-----	45	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
LnD: Legore-----	55	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Montalto-----	45	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
LqB: Lehigh-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope Wetness Landslides	0.50 0.50 0.50 0.10
LsA: Lindside-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Poorly suited Flooding Strength	1.00 0.50
LyB: Linganore-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
Hyattstown-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
LyC: Linganore-----	50	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
Hyattstown-----	35	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MaA: Melvin-----	55	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Poorly suited Ponding Flooding Wetness Strength	1.00 1.00 1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Lindside-----	35	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Poorly suited Flooding Strength	1.00 0.50
MbA: Morven-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
MbB: Morven-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
MeB: Mt.airy-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
MeC: Mt.airy-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
MeD: Mt.airy-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
MeF: Mt.airy-----	85	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
MmA: Mt. Zion-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
MmB: Mt. Zion-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
MmC: Mt. Zion-----	85	Moderate Slope/erodibility	0.29	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MnA: Mt. Zion-----	50	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
Rohrersville-----	45	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength Wetness	0.50 0.50
MnB: Mt. Zion-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Rohrersville-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength Wetness	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MoB: Mt. Zion-----	60	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Codorus-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Flooding Strength	0.50 0.50
MrB: Murrill-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
MtB: Murrill-----	45	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Dryrun-----	35	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	
MuB: Myersville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
MuC: Myersville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MvA: Myersville-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
MvB: Myersville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
MvC: Myersville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
MxA: Myersville-----	50	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
Burkittsville-----	35	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MxB: Myersville-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Burkittsville-----	35	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
MyB: Myersville-----	45	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Catoctin-----	30	Slight Slope/erodibility	0.10	Slight Slope/erodibility	0.19	Moderately suited Strength	0.50
Urban Land-----	10	Not rated		Not rated		Not rated	
MyC: Myersville-----	45	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Catoctin-----	30	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Urban Land-----	10	Not rated		Not rated		Not rated	
NoA: Norton-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
NoB: Norton-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
NoC: Norton-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
OcB: Occoquan-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
OcC: Occoquan-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
PaB: Penn-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
PeB: Penn-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Slope	0.50
PeC: Penn-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
PnB: Penn-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
PnC: Penn-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
PgB: Penn-----	40	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Reaville-----	40	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Ponding Strength Wetness	0.50 0.50 0.50
Urban Land-----	10	Not rated		Not rated		Not rated	
PrA: Penn-----	45	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
Reaville-----	40	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Ponding Strength Wetness	0.50 0.50 0.50
PrB: Penn-----	50	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
Reaville-----	40	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Ponding Strength Wetness Slope	0.50 0.50 0.50 0.50
Q1: Quarry, Limestone---	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Qm: Quarry, Marble-----	100	Very severe Horizon table contains no data	1.00	Severe Horizon table contains no data	1.00	Poorly suited Horizon table contains no data	1.00
Qp: Quarry, Phyllite----	100	Very severe Horizon table contains no data	1.00	Severe Horizon table contains no data	1.00	Poorly suited Horizon table contains no data	1.00
RaD: Ravenrock-----	85	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments	1.00 0.50
ReB: Ravenrock-----	50	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.25	Moderately suited Rock fragments	0.50
Highfield-----	40	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Rock fragments	0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReC: Ravenrock-----	50	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope Rock fragments	0.50 0.50
Highfield-----	40	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Rock fragments	0.50 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReD: Ravenrock-----	50	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments	1.00 0.50
Highfield-----	40	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments	1.00 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
ReF: Ravenrock-----	50	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments	1.00 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Highfield-----	35	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments	1.00 0.50
Rock Outcrop-----	15	Not rated		Not rated		Not rated	
RfC: Ravenrock-----	50	Slight Slope/erodibility	0.16	Moderate Slope/erodibility	0.50	Moderately suited Slope Rock fragments	0.50 0.50
Rohrersville-----	35	Slight Slope/erodibility	0.20	Moderate Slope/erodibility	0.89	Moderately suited Slope Strength Wetness	0.50 0.50 0.50
RgA: Readington-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
RgB: Readington-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
RmA: Reaville-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Ponding Strength Wetness	0.50 0.50 0.50
RoB: Rohrersville-----	60	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength Wetness	0.50 0.50
Lantz-----	30	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Poorly suited Ponding Wetness Strength	1.00 1.00 0.50
RwA: Rowland-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Flooding Strength	0.50 0.50
ScC: Spoolsville-----	60	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Burkittsville-----	30	Moderate Slope/erodibility	0.29	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
ScD: Spoolsville-----	60	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Burkittsville-----	30	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
SdC: Spoolsville-----	50	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Catoctin-----	40	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
SeA: Spoolsville-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
SeB: Spoolsville-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
SpA: Springwood-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
SpB: Springwood-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
SpC: Springwood-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
SqB: Springwood-----	65	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
SrB: Springwood-----	45	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Morven-----	35	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
Urban Land-----	20	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
StB: Stumptown-----	65	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.15	Moderately suited Strength	0.50
Rock Outcrop-----	30	Not rated		Not rated		Not rated	
StC: Stumptown-----	60	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Rock Outcrop-----	35	Not rated		Not rated		Not rated	
StD: Stumptown-----	55	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
Rock Outcrop-----	40	Not rated		Not rated		Not rated	
SuD: Stumptown-----	50	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
Bagtown-----	40	Moderate Slope/erodibility	0.49	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
SuF: Stumptown-----	50	Severe Slope/erodibility	0.88	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Bagtown-----	40	Very severe Slope/erodibility	1.00	Severe Slope/erodibility	1.00	Poorly suited Slope Rock fragments Strength	1.00 0.50 0.50
Rock Outcrop-----	10	Not rated		Not rated		Not rated	
TaB: Thurmont-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
TaC: Thurmont-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
ThB: Thurmont-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
ToA: Trego-----	85	Slight Slope/erodibility	0.05	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
ToB: Trego-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
TqB: Trego-----	85	Slight Slope/erodibility	0.15	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
TrB: Trego-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.56	Moderately suited Strength	0.50
TxB: Trego-----	60	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Foxville-----	35	Slight Slope/erodibility	0.08	Slight Slope/erodibility	0.15	Poorly suited Flooding Rock fragments Strength Wetness	1.00 0.50 0.50 0.50
UdB: Udorthents-----	100	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
UdC: Udorthents-----	100	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
UrA: Urban Land-----	100	Not rated		Not rated		Not rated	
UrC: Urban Land-----	100	Not rated		Not rated		Not rated	

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
W: Water-----	100	Not rated		Not rated		Not rated	
WaA: Walkersville-----	85	Slight Slope/erodibility	0.04	Slight Slope/erodibility	0.22	Moderately suited Strength	0.50
WaB: Walkersville-----	85	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50
WaC: Walkersville-----	85	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
WcB: Watchung-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Poorly suited Wetness Strength	1.00 0.50
WeC: Weverton-----	50	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.46	Moderately suited Slope Strength	0.50 0.50
Hazel-----	45	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope	0.50
WeD: Weverton-----	50	Moderate Slope/erodibility	0.39	Moderate Slope/erodibility	0.77	Poorly suited Slope Strength	1.00 0.50
Hazel-----	45	Moderate Slope/erodibility	0.39	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
WeE: Weverton-----	50	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope Strength	1.00 0.50
Hazel-----	45	Severe Slope/erodibility	0.69	Severe Slope/erodibility	1.00	Poorly suited Slope	1.00
WhB: Wheeling-----	85	Slight Slope/erodibility	0.10	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
WrB: Whiteford-----	60	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.67	Moderately suited Strength Slope	0.50 0.50

Table FOR-2.--Forestland Management--Continued

Map symbol and soil name	Pct. of map unit	Hazard of off-road or off-trail erosion		Hazard of erosion on roads and trails		Suitability for roads (natural surface)	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cardiff-----	40	Slight Slope/erodibility	0.12	Moderate Slope/erodibility	0.38	Moderately suited Strength Slope	0.50 0.50
WrC: Whiteford-----	60	Moderate Slope/erodibility	0.24	Severe Slope/erodibility	1.00	Moderately suited Slope Strength	0.50 0.50
Cardiff-----	40	Moderate Slope/erodibility	0.24	Moderate Slope/erodibility	0.75	Moderately suited Slope Strength	0.50 0.50
WtB: Wiltshire-----	60	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Moderately suited Strength	0.50
Funkstown-----	30	Slight Slope/erodibility	0.08	Moderate Slope/erodibility	0.44	Poorly suited Flooding Strength	1.00 0.50

